Author index

Adams, M. G., 161
Andre, D., 137

Balls, M., 23
Baydar, A., 169
Belda, M.A., 51
Bremecker, K.-D., 235
Brooks, G.,. 103
Brown, M.J., 61

Carlotti, M.E., 209
Carpignano, R., 209
Chardon, A., 191
Cook, T.L., 161
Costa, D., 51
Cotte, J., 79, 125
Cretois, I., 191
Croute, F., 125

Dahms, G., 43
de Luca, M., 1
Delaporte, E., 125
Domingo, X., 263
Duclos, R., 137
Dupont, Ch., 293

Eachus, A.C., 235

Failly, F., 137

Galey, J.-B., 65
Garbayo, A., 263
Garcia, T., 263
Gasco, M.R., 209
Grossiord, J.L., 1

Hamm, G.G., 91
Hartmann, D.J., 125
Hartop, P.J., 161
Hatzis, J., 281
Herpol-Borremans, M., 303
Hirota, H., 221
Hoshino, N., 221
Hourseau, C., 191

Idson, B., 103

Johnston, R., 169
Joy, M., 249

Kermici, M., 117
Kompaore, F., 293
Korting, H.C., 91
Lafforgue, Ch., 79, 125
Lewis, D.M., 249

Mallol, J., 51
Martini, M.C., 125
Marty, J.P., 293
Masse, M.O., 303
Megele, M., 91
Mehringer, L., 91
Millecamps, F., 65

Natonski, J.L., 235
Nguyen, O.-L., 65
Nicolas, J.F., 125
Noval, A., 51

Orecchioni, A.M., 137

Phillips, B.M., 263
Pruche, F., 117
Prunieras, M., 117

Rabaron, A., 1
Rocha-Filho, P., 1

Sanchez Leal, J., 263
Seiller, M., 1
Sola, M., 51
Swift, J. A., 143

Trotta, M., 209

Vaution, C., 1
Verite, P., 137
Verran, J., 29
Vieluf, D., 91

Yahagi, K., 221

Zabot, M.Y., 79
Zienicke, H., 91

Subject index

Aerosol, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Ageing, Mise en place d'un modele in *vitro* d'etude du vieillissement cellulaire sur fibroblaste dermique humain, 79
Changes in glutathione content in human hair follicle keratinocytes as a function of age of donor: relation with glutathione dependent enzymes, 117
Aminomethylpropanediol, The role of primary alkanolamines in cosmetic formulation, 235
Aminomethylpropanol, The role of primary alkanolamines in cosmetic formulation, 235
Amphoteric/anionic systems, Sodium lauryl sulphate/amphoteric surfactant interactions: selective diffusion through a collagen film, 263
Animal experimentation, The replacement of animal testing: ethical issues and practical realities, 23
Animal tests, The replacement of animal testing: ethical issues and practical realities, 23
Antielastolytic, Proprietes antielastiques des propionylaminoacides, 123
Antimicrobial, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Asiaticoside, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Attenuated total reflectance, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Biosurfactant, Biosurfactants for cosmetic applications, 61
α-bisabolol, Determination of α-bisabolol and D-panthenol in cosmetic products by gas chromatography, 137
Butane, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Carbomers, The role of primary alkanolamines in cosmetic formulation, 235
Central composite design, Optimisation of emulsions, 209
Ceramides, Skin lipids, 103
CMC, Solution behaviour of new cationic surfactants derived from Guerbet alcohols and their use in hair conditioners, 221
Identification des filtres UV dans les produits cosmetiques par CCM et HPLC, 303
Cholesterol esters, Skin lipids, 103
Collagen, Proprietes antielastiques des propionylaminoacides, 123
Collagen hydrolysates, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Collagen film, Sodium lauryl sulphate/amphoteric surfactant interactions: selective diffusion through a collagen film, 263
Colour, Skin colour typology and suntanning pathways, 191
Conditioners, Solution behaviour of new cationic surfactants derived from Guerbet alcohols and their use in hair conditioners, 221
Cosmetic products, Determination of α-bisabolol and D-panthenol in cosmetic products by gas chromatography, 137
Identification des filtres UV dans les produits cosmetiques par CCM et HPLC, 303
Cuticle, Fine details on the surface of human hair, 143
Dental plaque, Dental plaque-associated infections and antibacterial oral hygiene products, 29
Diffuse reflectance, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Diffusion, Sodium lauryl sulphate/amphoteric surfactant interactions: selective diffusion through a collagen film, 263
Dimethyl ether, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Emulsions, Les emulsions multiples, 1
The role of primary alkanolamines in cosmetic formulation, 235
Enzymes, Changes in glutathione content in human hair follicle keratinocytes as a function of age of donor: relation with glutathione dependent enzymes, 117
Epidermal differentiation, Skin lipids, 103
Epidermal lipids, Skin lipids, 103
Ethics, The replacement of animal testing: ethical issues and practical realities, 23
Ethylene, Ethylene formation from methionine as a method to evaluate oxygen free radical scavenging and metal inactivation by cosmetics, 65
Factorial design, Optimisation of emulsions, 209
Fibroblast, Mise en place d'un modele *in vitro* d'etude du vieillissement cellilaire sur fibroblaste dermique humain, 79
Fixatives, The role of primary alkanolamines in cosmetic formulation, 235
Free radicals, Ethylene formation from methionine as a method to evaluate oxygen free radical scavenging and metal inactivation by cosmetics, 65
Free radical scavengers, Ethylene formation from methionine as a method to evaluate oxygen free radical scavenging and metal inactivation by cosmetics, 65
Fourier transform infra-red spectroscopy, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249

Gas chromatography, Determination of α-bisabolol and D-panthenol in cosmetic products by gas chromatography, 137
Glutathione, Changes in glutathione content in human hair follicle keratinocytes as a function of age of donor: relation with glutathione dependent enzymes, 117
Glycolipid, Biosurfactants for cosmetic applications, 61
Glycosphingolipids, Skin lipids, 103
Hair, Solution behaviour of new cationic surfactants derived from Guerbet alcohols and their use in hair conditioners, 221
The role of primary alkanolamines in cosmetic formulations, 235
Hair conditioning, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Hair follicle, Changes in glutathione content in human hair follicle keratinocytes as a function of age of donor: relation with glutathione dependent enzymes, 117
Hairspray, Siumulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
HPLC, Identification des filtres UV dans les produits cosmetiques par CCM et HPLC, 303
Human hair, Fine details on the surface of human hair, 143
Human skin, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Hydration, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Hydrocarbon, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
***In vitro* tests,** The replacement of animal testing: ethical issues and practical realities, 23
Irritation, Sodium lauryl sulphate/amphoteric surfactant interactions: selective diffusion through a collagen film, 263
Laser doppler velocimetry, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Lipid bilayer, Skin lipids, 103
Lipopeptide, Biosurefactants for cosmetic applications, 61
Liquid crystal, Skin lipids, 103
Liquified petroleum gas, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Microspectrophotometry, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Moisturizing, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Natural weathering, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Nitrosamines, The role of primary alkanolamines in cosmetic formulation, 235
Nuclear magnetic resonance, Les emulsions multiples, 1
O/w emulsions, Optimisation of emulsions, 209
Occlusion, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Optimization, Optimisation of emulsions, 209
Oral hygiene, Dental plaque-associated infections and antibacterial oral hygiene products, 29
Oral microbiology, Dental plaque-associated infections and antibacterial oral hygiene products, 29
Oxidative damage, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Oxygen reduction, Ethylene formation from methionine as a method to evaluate oxygen free radical scavenging and metal inactivation by cosmetics, 65
D-panthenol, Determination of α-bisabolol and D-panthenol in cosmetic products by gas chromatography, 137
Pattern, Mise en place d'un modele *in vitro* d'etude du vieillissement cellulaire sur fibroblaste dermique humain, 79
Permeation surface, Skin surface profile technique and its applications, 281
Phospholipid, Biosurfactants for cosmetic application, 61
Skin lipids, 103
Predetermined formulations, Optimisation of emulsions, 209
Pregnancy, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Prevention, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Profile of the skin surface, Skin surface profile technique and its applications, 281
Propane, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Propellant, Simulated consumer exposure to dimethyl ether and propane/butane in hairsprays, 161
Propionylaminoacid, Proprietes antielastiques des propionylaminoacides, 123
Pseudoceramides, Skin lipids, 103
Quaternary ammonium salts, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Quaternary surfactants, Solution behaviour of new catyionic surfactants derived from Guerbet alcohols and their use in hair conditioners, 221
Replacement alternatives, The replacement of animal testing: ethical issues and practical realities, 23

Reservoir for extension, Skin surface profile technique and its applications, 281
Scanning electron microscope, Fine details on the surface of human hair, 143
Sebaceous lipids, Skin lipids, 103
Second-order derivative spectroscopy, The use of Fourier transform infra-red spectroscopy in the study of the surface chemistry of hair fibres, 249
Skin, Skin colour typology and suntanning pathways, 191
Skin aging, Ethylene formation from methionine as a method to evaluate oxygen free radical scavenging and metal inactivation by cosmetics, 65
Skin cleansing preparations, Influence of skin cleansing preparation acidity on skin surface properties, 91
Skin lipids, Skin lipids, 103
Skin permeability, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Skin roughness, Influence of skin cleansing preparation acidity on skin surface properties, 91
Skin surface pH, Influence of skin cleansing preparation acidity on skin surface properties, 91
Sphingolipids, Skin lipids, 103
Stability, Les emulsions multiples, 1
Striae, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Stripping, *In vivo* evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Sun filters, Identification des filtres UV dans les produits cosmetiques par CCM et HPLC, 303
Surface, Fine details on the surface of human hair, 143
Surfactants, Viscosity regulation by surfactants, 43
Sodium lauryl sulphate/amphoteric surfactant interactions: selective diffusion through a collagen film, 263
In vivo evaluation in man by two noninvasive methods of the stratum corneum barrier function after physical and chemical modifications, 293
Synthesis, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Tanning, Skin colour typology and suntanning pathways, 191
Tocopherol, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Topical cream, Prophylaxis of Striae gravidarum with a topical formulation. A double blind trial, 51
Transepidermal water loss, Influence of skin cleansing preparation acidity on skin surface properties, 91
In vivo corneum barrier function after physical and chemical modifications, 293
Triglycerides, Novel quaternary ammonium salts derived from triglycerides and their application in skin and hair products, 169
Trimethamine, The role of primary alkanolamines in cosmetic formulation, 235
Typology, Skin colour typology and suntanning pathways, 191
UVA, Skin colour typology and suntanning pathways, 191
UVB, Skin colour typology and suntanning pathways, 191
Viscosity, Viscosity regulation by surfactants, 43
Water barrier, Skin lipids, 103